

NEW AGE SERVICES



*A flexible shelving
system which adapts
to your business*

PROSPACE +

Galvanised or paint finish

Manufactured with

As a leading European manufacturer of Shelving, PROVOST uses its strength and experience to meet the demands of its clients.


The commercial approach of PROVOST is characterised by **precisely defining the needs of the customer in order to offer the best solution**, adapted to his operation, taking into account the size, **weight and movement of his products to arrive at the most cost effective installation.**

The right products, the correct solutions



The Research and Development Department is committed to designing new products **adapting** to the changing needs of storage and logistics **operations.**

The Sales Teams are supported by the Design Department to develop made to **measure solutions tailored** to the specific needs of each business.



Manufacturing Capability



Profile lines, shelf lines, paint plants...
30,000 square metres of production space within 5 factories.

Efficient and modern
low cost production
guarantees quality
products at cost
effective prices.



Our main objective : To satisfy our customers.

experience and expertise

40 years of experience in the conception and fabrication of shelving systems have contributed to the development of PROSPACE +.

PROSPACE+



The storage of plastic boxes on tubular shelves



The storage of cartons and boxes.



The storage of small parts and tooling.




This PROSPACE+ installation stores wholesale grocery products on galvanised steel shelves. The mesh backs separate the products whilst maximising visibility and air circulation.

PROSPACE + : a new



PROSPACE + with *tubular shelves*.

Two tier shelving 4500mm high with a walkway supported by the shelving giving easy access to all shelves.



PROSPACE + with *steel shelves*.



The storage of archive files.



PROSPACE + for the storage of *archive boxes*.



PROSPACE + with *galvanised shelves, side and back cladding*.



PROSPACE + with dividers and bin fronts *to create small pigeon holes*.

concept in shelving

Uprights are painted or galvanised, standard or heavy duty

Conception :

- Uprights are formed with 10 bends for strength.
- Cold rolled and then roll formed in a continuous section.
- Slots on the inside face allow vertical shelf adjustments every 40mm.

Finish :

- Epoxy blue RAL 5019 or galvanised.



2 Duties :


- Type A (standard) and type C (heavy) (see the loading tables on page 13).

Height :

- From 1800mm to 5000mm.
- Available from stock in 6 heights (standard duty) 1800, 2000, 2200, 2400, 2600, 3000mm.

**Either tubular or solid shelves,
the right product for the specific application**

TUBULAR Shelves



Construction :

- The shelves are constructed from 2 front shelf beams in the width 2 side shelf beams in the depth. Depending on the depth: 1, 2, 3 or 5 interior tubes.

24 standard sizes :

- 3 widths: 670, 970 and 1240mm.
8 depths: 300, 350, 400, 500, 600, 700, 800, 1000mm.

Adaptable :

- The shelf components are manufactured in several duties (see the loading tables on page 13). The shelves are adjustable every 40mm.

Finish :

- Epoxy grey RAL 7035 or galvanised.

5 options open or with a cover



Standard duty.



Heavy duty.



With a hardboard cover.





With a galvanised cover.



With a mesh cover.

SOLID Shelves



2 options

Shelves for hanging files
(330mm deep files).

Construction :

- The shelves are cold rolled from pre-painted or galvanised steel. A front and rear box section incorporating 12 bends adds strength and rigidity. The shelves are located on the uprights by 4 shelf clips. Perforations every 45mm allow for the use of many accessories (see page 15).

14 standard sizes :

- 2 widths: 970 and 1240mm
7 depths: 300, 350, 400, 500, 600, 700, and 800mm.

For hanging files :

- Specifically for hanging files.
2 widths: 970 and 1240mm.
1 depth: 382mm.
Grey RAL 7035.

Finish :

- Grey RAL 7035 or galvanised.

PROSPACE + Tubular Shelves



For the *storage of books*.



The *storage of spare parts* in plastic containers.

Mesh shelves.



PROSPACE + with a *mesh cover* on tubular shelves.




PROSPACE + *high rise shelving* for high density storage of small parts in PROBOX containers.


painted or galvanised

PROSPACE + a shelving system which can be adapted to the weight and type of product.


Tubular shelves



Upright



For the storage of plastic plumbing fittings in wire baskets.



Archive storage.

For the storage of paint and decorating materials.



PROSPACE + Solid Shelves




Shelving below and on top of a PROPLUS LP mezzanine floor.

Upright



Solid shelf



Spare parts stored in plastic containers on PROSPACE +.




painted or galvanised



The storage of automotive parts. Each product line has its own location by using full height dividers.



Galvanised PROSPACE +.



The storage of archived magazines on PROSPACE +.



The storage of clothing under a PROPLUS LP mezzanine floor. Pigeon holes have been created by using shelf dividers.

PROSPACE + a system which

Shelving *above and below* a PROPLUS LP mezzanine floor.




Two tier shelving for the *storage of archives*.



The *storage of spare parts* on 2 levels for Daewoo.

adapts to the changes in your business



PROSPACE + with many applications



PROSPACE + adapted
for the vertical storage
of printing plates.



PROSPACE + adapted for the storage
of plastic containers or boxes for
small parts.



PROSPACE + adapted for the storage of sheet material.



PROSPACE + shelving under PROPAL Pallet Racking
for the picking of garments.



PROSPACE + shelving with galvanised
drip trays for the storage of hazardous
liquids.




PROSPACE + shelving
supporting a floor for the
storage of tools.



PROSPACE + shelving on a trolley base.

PROSPACE + adaptable for different loads

THE UPRIGHTS



2 DUTIES :

(see the table opposite)

- **Type A:** Load of 1400Kgs per pair of uprights (with the first level at 450mm).
- **Type C:** Load of 2100Kgs per pair of uprights (with the first level at 450mm).

TUBULAR SHELVES

The shelf components are available in different duties.

See the table below:
standard and heavy duty shelves.

Load per shelf
(evenly distributed in Kgs)

Depth		300	350	400	500	600	700	800	1000
Width	Type	1	1	1	2	3	3	3	5
	N° Interior Tubes	1	1	1	2	3	3	3	5
670	Standard	200	200	200	250	275	225	200	175
	Heavy Duty	-	-	-	-	-	275	250	200
970	Standard	175	175	175	175	175	175	150	150
	Heavy Duty	-	-	-	225	225	225	225	225
1240	Standard	125	125	125	125	125	125	125	125
	Heavy Duty	-	-	-	200	200	200	200	200

SOLID SHELVES

In order to increase the loading capacity the solid shelf can accept 1, 2 or 3 reinforcement bars depending on the depth of the shelf (see the table below).

Load per shelf
(evenly distributed in Kgs)


Depth		300	350	400	500	600	700	800	N° reinforcement bars
Width	Type	1	1	1	1	1	1	1	1
	N° Interior Tubes	1	1	1	1	1	1	1	1
970	Standard	200	150	150	100	75	75	75	0
	Heavy Duty	-	250	250	225	200	200	200	1
	Extra Heavy Duty	-	-	-	-	250	250	250	2
1240	Standard	150	100	100	75	50	50	50	0
	Heavy Duty	-	200	200	175	150	150	150	1
	Extra Heavy Duty	-	-	-	225	200	200	200	2
	Super Heavy Duty	-	-	-	-	250	250	250	3



PROSPACE + adapted for hanging files and medical records.

PROSPACE +

The accessories are designed to optimise the flexibility and efficiency




TUBULAR SHELF



- 1 - Footplate and shim to spread the load.
- 2 - Plastic cap as a foot or top cap.
- 3 - Mesh side cladding to separate bays.
- 4 - Front/rear shelf stop to retain items on the shelf.
- 5 - Hardboard cladding for side or back cladding.
- 6 - Row spacer to secure shelving runs a set distance apart.
- 7 - Grey shelf cover.
- 8 - Hardboard back cladding.
- 9 - Wire divider to separate items.
- 10 - Hanging garment rail.
- 11 - Rack link to secure back to back bays.
- 12 - Mesh back cladding.
- 13 - Central stop a divider for double entry bays.
- 14 - Upright splice to extend the height of the shelving.
- 15 - Bay sign to label a specific bay.
- 16 - Cross brace to add stability when necessary.
- 17 - Galvanised shelf cover.
- 18 - Hardboard shelf cover.
- 19 - Mesh shelf cover.

the accessories

of the system and can be used in many different configurations



SOLID SHELF



- 1 - Lockable doors for secure storage of valuable items.
- 2 - Support bar with spigots to display hanging items.
- 3 - Bin support to carry plastic containers.
- 4 - Shelf stop to retain items on the shelf.
- 5 - Cross brace to add stability.
- 6 - Bin front to retain items on the shelf.
- 7 - Steel cladding for side or back cladding.
- 8 - Part height divider to separate items (adjustable every 45mm).
- 9 - Full height divider (adjustable every 45mm) to create pigeon holes.
- 10 - Floor plinth.
- 11 - Wire divider (adjustable every 45mm) to separate items.

Also for Hanging files

3 options :

- Open = open sides and backs
- Part Clad = frames or backs clad
- Fully Clad = frames and backs clad

Nº.1 manufacturer of space

A range of 15 solutions for equipping all parts of your company.



PROTUB

Record shelving.



PROCLASS

Office shelving.



PROSPACE +

® SYSTÈME BREVETÉ

Adjustable shelving.



PRONOX

Food quality shelving.



PROROLL

Mobile shelving.



PRORACK +

Adjustable longspan shelving.



PRODYN + light duty

Light dynamic shelving.



PRODYN + heavy duty

Heavy dynamic shelving.



PROPAL +

® SYSTÈME BREVETÉ

High performance.
Pallet racking



PROPAL + ACCUMULATION

High performance.



PROBAR +

Adjustable
Cantilever



PROPLUS+

Progressive
platforms.



PROPLUS LP +

Longspan
platform.



NEW AGE STORAGE SYSTEMS LTD.
UNIT 36
ROSEMOUNT BUSINESS PARK
BALLYCOOLIN ROAD
DUBLIN 11

TEL: (01) 812 8616

FAX: (01) 812 8620

Email: reception@newageservices.ie

www.newageservices.ie

NEW AGE